

FOCAL POINT Int'l Co., Ltd.

Made In Taiwan Quality Guarantee

All the items below are manufactured by Focal Point POP. Focal Point POP has our own RD team; we have the ability to design the product upon customer's request. E-mail us to: info@fpoppro.com for further information.

Model CC400



http://www.fpoppro.com/cc400

POP display/ corrugated display; 2-pieces shelf support allows for pre-attachment to corrugated displays prior to shipping; Save assembly time and allows display to be shipped flat; Holes allow glue to seep through for stronger hold; 2 sizes available;

Color: White; Material: plastic;

Model CC400 in Colors



Model CC400 in Colors

http://www.fpoppro.com/cc400

Model No.WC-9



http://www.fpoppro.com/wc-9

POP display/ display construction/ corrugated display; Holds on corrugated displays on Wire Power Wing or Power Bar; Easy to installation and more secure grip on corrugated cardboard;

Color: White or Natural; Material: plastic;

Model No. WC-12



http://www.fpoppro.com/wc-12

POP display/ display construction/ corrugated display; Holds on corrugated displays on Wire Power Wing or Power Bar; Easy to installation and more secure grip on corrugated cardboard; Color: White or Natural: Material:

Color: White or Natural; Material: plastic;

Model No. WCMW-1 / WCM-2



http://www.fpoppro.com/wcmw-1

POP display/ corrugated display; Zink plated clip holds corrugated displays on wire power or power bar;

Holds up to 1/4" A - Flute or 1/8" B-Flute corrugated;

Material: Zinc plated steel; For product promotion or advertising;

Model No. CC500



http://www.fpoppro.com/cc500

Connector creates a versatile modular display system;
Provide four-sided POP display;
Quick and easy assembly;
Shelves can be pre-attached to
CC500 prior to shipping;
Cap available to provide finished look to top tier;

Color: White; Material: plastic;

Model No. 2215



http://www.fpoppro.com/2215

POP display/ corrugated display; 3 points display foot in 90 degree secures and protects display corner;

Hold up to 4.7mm corrugated; Each side 6.35cm from corner; Color: White; Material: plastic;

Model No. UFG-CL



$\underline{http://www.fpoppro.com/ufg-cl}$

POP display/ corrugated display; Fits garment fixture, corrugated displays and floor stand; Each side 2 1/2" from corner and w / adhesive;

Color: White or clear; Material: plastic;

Add mobility to fixtures on carpet or had floor:

For product promotion or advertising;

Model No. LSDC-2



http://www.fpoppro.com/lsdc-2

POP display/ corrugated display; Smooth running caster gives displays maximum mobility; Supports total of 160 lb distributed among four wheels; Hold up to 1/4" A -Flute corrugated; Sold in sets of four; Available for lockable and unlockable caster;

Model No. DC-1



http://www.fpoppro.com/dc-1

POP display/ corrugated display; Lift heavyweight displays 2cm off the floor; Protects and assists when moving displays; Support 100 Ib per caster; Attach to flat bottom displays with permanent adhesive; Color: Natural; Material: plastic;

Model No. PDC-4W



Model No. PDC-4W

http://www.fpoppro.com/pdc-4w

POP display/ corrugated display; Joins corrugated display boxes and pelleted cartons securely and seamlessly;


Clip easily slides over boxes' shared corners;

Keeps corrugated display boxes in place to prevent slipping and to ensure customer safety;

Adds strength and support to stacked cartons;

2: diameter clip;

Color: Clear; Material: plastic;



(2)

Model No. DM-11



http://www.fpoppro.com/dm-11

POP display/ corrugated display; L 104 mm x H 177mm x D 41mm; Good choice for POP display display leaflets or brochures at the

cashier or information desk;
Can be assembled easily before
use for leaflet display;
For POP display on counter top or

For POP display on counter top or wall-mounted;

Model No. P-BH1



http://www.fpoppro.com/p-bh1

POP Display / corrugated display; Double-sided brochure holder; Flexible hinge allows holder to flex when bumped; Attachment hardware upon request; Two W 3 3/4" x D 7/8" pockets

Two W 3 3/4" x D 7/8" pockets (Inside dimensions);